

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 25 Oct 2011

Yarding Change $\frac{866}{256}$

comparison date 18/10/2011

A combination of fine weather and recent high prices increased numbers. Despite one butcher being absent from the buying panel, slaughter lines of yearlings sold to very solid demand. A small selection of heavy steers and bullocks to export slaughter sold close to firm, while cows tended to improve in value.

A few calves to the trade and restockers sold in the 220c range with some to 230c/kg. Vealer heifers to butchers and local and southern processors sold to 228.2c to average 222c/kg. Lightweight yearling steers returned to the paddock 7c better at 237c with sales to 250.2c/kg. Medium weight yearling steers to feed mostly sold around 213c to 216c with a few pens to 236.2c/kg. Heavy yearling steers sold to the supermarket trade at 203c with sales to 213.2c/kg. Lightweight yearling heifers to slaughter made to 228.2c to average 216c, and a good selection of medium weights to feed averaged 206c and made to 219c/kg. Slaughtered descriptions made to 231.6c with a fair sample at 215c/kg.

Heavy steers to export slaughter made to 203.2c to average 198c, while a few pens of bullocks mostly sold in the 190c/kg range.

A few cows to restockers made to 149.2c, while medium weight 3 scores to processors averaged 145c/kg. Good heavy cows averaged 165c with the occasional sale to 180c/kg. Heavy bulls made to 170c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	8	217.2	- 230.0	221.3	2	410	- 434	418	402	- 426	409
	RS	C	2	5	224.2	- 224.2	224.2	N/C	-	-	-	415	- 415	415
				13	217.2	230.0	222.4		410	434	418	402	426	411
Vealer Steer														
200-280		C	2	5	220.2	- 230.0	227.1	-1	400	- 418	413	495	- 610	566
	FD	C	2	6	227.2	- 229.2	228.5	-4	-	-	-	516	- 602	544
				11	220.2	230.0	227.9		400	418	413	495	610	554
Vealer Heifer														
200-280		C	2	34	210.2	- 228.2	222.6	-4	389	- 423	412	507	- 605	538
	RS	C	2	3	217.2	- 227.2	223.9	N/Q	-	-	-	489	- 511	504
280-330		C	3	5	225.2	- 226.6	226.2	N/Q	417	- 420	419	667	- 676	670
330+		C	3	2	220.2	- 223.2	221.7	N/Q	408	- 413	411	748	- 804	776
				44	210.2	228.2	223.0		389	423	413	489	804	561
Yearling Steer														
0-330	FD	C	2	13	215.0	- 243.2	231.5	2	-	-	-	570	- 644	613
	RS	C	2	51	219.2	- 250.2	237.0	7	-	-	-	515	- 663	590
	RS	D	2	7	198.2	- 206.2	203.9	N/Q	-	-	-	446	- 464	459
	FD	D	2	11	193.2	- 206.2	200.3	N/Q	-	-	-	485	- 512	497
330-400	FD	C	2	32	200.0	- 236.2	216.5	9	-	-	-	670	- 791	731
	FD	C	3	75	198.2	- 229.2	212.9	-10	-	-	-	684	- 875	778
		C	3	14	209.2	- 220.0	214.2	-3	380	- 400	390	722	- 837	773
	FD	D	2	14	173.2	- 192.2	186.9	2	-	-	-	644	- 717	667
	FD	D	3	9	185.0	- 185.0	185.0	N/Q	-	-	-	712	- 712	712
400+	FD	C	2	9	190.0	- 205.2	203.5	9	-	-	-	827	- 893	885

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	FD	C	3	37	197.2	- 200.0	197.8	9	-				802	- 922	858
		C	3	44	195.0	- 213.2	203.6	-1	355	- 388	370		829	- 991	926
	FD	D	2	8	159.2	- 176.2	171.5	N/Q	-				645	- 740	703
				324	159.2	250.2	211.1		355	400	375		446	991	744
Yearling Heifer															
0-330	RS	C	2	9	208.2	- 215.2	213.3	N/Q	-				584	- 635	625
	FD	C	2	8	207.2	- 218.2	215.5	12	-				513	- 549	522
		C	2	29	207.2	- 228.2	216.0	4	384	- 423	400		425	- 557	483
		D	2	10	186.2	- 195.0	191.2	N/Q	345	- 361	354		447	- 531	468
	RS	D	2	6	144.2	- 144.2	144.2	N/Q	-				339	- 339	339
330-400	FD	C	2	19	205.2	- 209.2	206.5	6	-				722	- 749	740
		C	2	24	198.2	- 207.2	202.7	N/Q	367	- 384	375		664	- 694	679
	FD	C	3	50	192.2	- 219.2	206.2	-4	-				718	- 794	753
		C	3	41	191.2	- 231.6	215.5	5	354	- 429	399		698	- 799	752
	FD	D	2	2	173.2	- 173.2	173.2	N/Q	-				598	- 598	598
		D	2	1	150.2	- 150.2	150.2	N/Q	278	- 278	278		548	- 548	548
		D	3	1	178.2	- 178.2	178.2	N/Q	330	- 330	330		668	- 668	668
	FD	D	3	1	180.0	- 180.0	180.0	N/Q	-				657	- 657	657
400+		C	3	33	188.2	- 198.2	192.4	-12	349	- 367	356		811	- 922	845
	FD	C	3	4	199.2	- 199.2	199.2	9	-				807	- 807	807
	FD	D	3	6	170.0	- 170.0	170.0	N/Q	-				740	- 740	740
		D	3	3	175.0	- 180.2	178.5	N/Q	324	- 334	331		744	- 784	771
				247	144.2	231.6	203.1		278	429	379		339	922	689
Grown Steer															
0-400		D	2	3	144.2	- 144.2	144.2	N/Q	262	- 262	262		555	- 555	555
400-500	FD	C	3	2	191.2	- 191.2	191.2	N/Q	-				889	- 889	889
		D	3	1	165.2	- 165.2	165.2	N/Q	300	- 300	300		768	- 768	768
500-600		C	3	8	182.2	- 189.2	185.7	4	331	- 344	338		993	- 1029	1011
		C	4	23	193.2	- 203.2	198.1	-3	345	- 365	356		1051	- 1209	1126
600-750		C	3	14	177.2	- 186.2	180.8	-4	322	- 339	329		1108	- 1201	1138
		C	4	15	190.2	- 195.2	193.4	-1	340	- 349	345		1259	- 1317	1272
				66	144.2	203.2	188.7		262	365	340		555	1317	1109
Grown Heifer															
0-540		C	4	11	178.2	- 185.2	182.3	2	336	- 356	345		917	- 991	964
	RS	D	2	5	138.2	- 138.2	138.2	N/Q	-				518	- 518	518
540+		C	3	1	150.0	- 150.0	150.0	N/Q	283	- 283	283		863	- 863	863
		C	4	10	175.0	- 182.0	177.6	-2	330	- 343	335		954	- 1017	990
				27	138.2	185.2	171.2		283	356	338		518	1017	887
Manufacturing Steer															
540+		C	4	8	178.2	- 189.2	181.6	N/Q	324	- 344	330		1143	- 1221	1173
				8	178.2	189.2	181.6		324	344	330		1143	1221	1173
Cows															
0-400		D	1	2	103.2	- 103.2	103.2	N/Q	287	- 287	287		377	- 377	377
	DA	E	1	1	70.0	- 70.0	70.0	N/Q	194	- 194	194		256	- 256	256
400-520	RS	D	1	2	120.2	- 120.2	120.2	N/Q	-				523	- 523	523

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	DA	D	1	8	115.0	- 125.0	123.8	N/Q	319	- 347	344	535	- 619	594
		D	1	1	125.2	- 125.2	125.2	N/Q	348	- 348	348	545	- 545	545
		D	2	2	135.2	- 135.2	135.2	N/Q	322	- 322	322	575	- 575	575
	RS	D	2	6	144.2	- 149.2	148.4	N/Q	-	-	-	613	- 664	655
	DA	D	2	4	134.2	- 145.2	142.5	N/Q	320	- 346	339	632	- 664	640
		D	3	10	145.0	- 149.2	145.8	2	296	- 305	298	631	- 734	651
		D	4	3	150.0	- 155.2	153.5	-7	294	- 304	301	743	- 768	760
	DA	E	1	2	75.2	- 75.2	75.2	N/Q	209	- 209	209	350	- 350	350
		C	2	2	149.2	- 149.2	149.2	N/Q	339	- 339	339	798	- 798	798
		C	3	4	160.0	- 180.0	167.5	10	314	- 346	327	936	- 1125	998
	DA	D	1	2	133.2	- 133.2	133.2	N/Q	370	- 370	370	713	- 713	713
	DA	D	2	3	142.0	- 142.0	142.0	N/Q	338	- 338	338	802	- 802	802
		D	2	2	135.0	- 135.0	135.0	N/Q	321	- 321	321	722	- 722	722
		D	3	3	150.0	- 157.2	152.4	1	306	- 321	311	803	- 943	849
	DA	D	3	1	158.0	- 158.0	158.0	N/Q	322	- 322	322	893	- 893	893
	D	4	34	140.0	- 174.2	165.7	-1	275	- 342	325	791	- 1045	966	
	D	5	5	149.2	- 155.2	150.4	N/Q	305	- 317	307	830	- 888	876	
				97	70.0	180.0	148.1		194	370	319	256	1125	783
Bulls														
0-450	FD	C	2	1	192.2	- 192.2	192.2	N/Q	-	-	-	509	- 509	509
	FD	C	3	5	163.2	- 193.2	176.0	-19	-	-	-	694	- 810	720
		C	3	4	152.2	- 185.0	173.7	N/Q	277	- 330	311	495	- 786	704
		D	2	1	120.0	- 120.0	120.0	N/Q	218	- 218	218	510	- 510	510
450-600		C	3	6	145.0	- 191.2	174.6	30	259	- 341	312	819	- 1078	948
	RS	C	3	1	179.2	- 179.2	179.2	N/Q	-	-	-	1048	- 1048	1048
600+		C	2	1	130.0	- 130.0	130.0	N/Q	236	- 236	236	839	- 839	839
		C	3	6	140.2	- 170.0	155.2	N/C	250	- 304	277	981	- 1110	1045
				25	120.0	193.2	167.0		218	341	291	495	1110	851

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.